

## CONFIBICI BOLLARD 40

Code: B-COBI-40



Registration  
Pending

### FEATURES


- Bollard that also functions as lane separator "confi-bici 40".
- Modern, powerful and avant-garde device.
- Manufactured in polyethylene with UV protection.
- Molded by intrusion, made in one piece; yellow color.
- Resistance to humidity, oil and climate changes.
- Round borders to prevent any damage to cyclists and providing security.
- The lateral ramp has an anti slip surface that help cyclists to avoid falling if a maneuver cause the placing of the wheel on the device.
- Great visibility provided by the reflective sheeting in both sides, with an integrated drawing in high relief to protect the reflective film.
- The 8 lateral reflective strips have an angle that allows better visibility for drivers.
- With option to include institutional logo on the lateral part.
- The 7 oval holes are designed to absorb the expansion of the bollard when the ambient temperature increase during day and the plastic contraction decrease at night.
- Its installation is easy; this device is anchored to the floor with 7 ½" x 10" nails and epoxy resin (not included).

### WHAT'S A CONFIBICI?

These lane separators are an easy, quick and affordable way to confine bike lanes in roads, creating safe spaces for cyclists.

Lane separators help cyclists to transit through bike lanes, increasing their confidence and helping drivers to see their lanes which are visible during day and night thanks to the reflective sheeting in the endings and lateral part.


In narrow roads, it can be used with the confibici bollard 25, which has the same appearance and features but with a width of 25 cm (9.8 in).



Center the nails




Anti slip surface



Angled reflective strips for better visibility

# CONFIBICI BOLLARD 40

Code: B-COBI-40



## MEASUREMENTS

Dimensions and other measures are nominal and may vary by +/- 2%.

**Total**

- Length: 5.9 ft
- Width: 15.7
- Height: 5.1 in

**Reflective Sheeting**


- Amber, white and red



It is anchored to the floor with 7 nails of 1/2" x 10" and epoxy resin

## ANCHORING

1. Mark the boreholes using the confibici as a guide
2. Drill the boreholes with a 1/2" drill bit to a 7" depth.
3. Fill the boreholes with some epoxy resin.
4. Place the Confibici and nail the anchors carefully in each borehole, to avoid the damage of the Confibici.
5. Place the anchoring on the center of the oval hole to prevent nail detachment caused by ambient temperature expansion or contraction.





# CONFIBICI BOLLARD 40

Code: B-COBI-40



Registration  
Pending

## FEATURES


- Bollard that also functions as lane separator "confi-bici 40".
- Modern, powerful and avant-garde device.
- Manufactured in polyethylene with UV protection.
- Molded by intrusion, made in one piece; yellow color.
- Resistance to humidity, oil and climate changes.
- Round borders to prevent any damage to cyclists and providing security.
- The lateral ramp has an anti slip surface that help cyclists to avoid falling if a maneuver cause the placing of the wheel on the device.
- Great visibility provided by the reflective sheeting in both sides, with an integrated drawing in high relief to protect the reflective film.
- The 8 lateral reflective strips have an angle that allows better visibility for drivers.
- With option to include institutional logo on the lateral part.
- The 7 oval holes are designed to absorb the expansion of the bollard when the ambient temperature increase during day and the plastic contraction decrease at night.
- Its installation is easy; this device is anchored to the floor with 7 ½" x 10" nails and epoxy resin (not included).

## WHAT'S A CONFIBICI?

These lane separators are an easy, quick and affordable way to confine bike lanes in roads, creating safe spaces for cyclists.

Lane separators help cyclists to transit through bike lanes, increasing their confidence and helping drivers to see their lanes which are visible during day and night thanks to the reflective sheeting in the endings and lateral part.


In narrow roads, it can be used with the confibici bollard 25, which has the same appearance and features but with a width of 25 cm (9.8 in).



Center the nails




Anti slip surface



Angled reflective strips for better visibility

# CONFIBICI BOLLARD 40

Code: B-COBI-40



## MEASUREMENTS

Volumes, dimensions and other measures are nominal and may vary by approximately 2%.

### Total

- Length: 5.9 ft
- Width: 15.7
- Height: 5.1 in

### Reflective Sheeting

- Amber, white and red



It is anchored to the floor with 7 nails of  $\frac{1}{2}$ " x 10" and epoxy resin

## ANCHORING

1. Mark the boreholes using the confibici as a guide
2. Drill the boreholes with a  $\frac{1}{2}$ " drill bit to a 7" depth.
3. Fill the boreholes with some epoxy resin.
4. Place the Confibici and nail the anchors carefully in each borehole, to avoid the damage of the Confibici.
5. Place the anchoring on the center of the oval hole to prevent nail detachment caused by ambient temperature expansion or contraction.

