

SERVICE AND RECREATION SIGNS

FEATURES

- These will be used to inform users the existence of a service or recreation place.
- Also used to indicate various services that are place in the same zone simultaneously.
- Can be set 4 signs in vertical position.
- Both, boards and supports need resistance, durability and presentation conditions.
- These signs can include an additional board, including the direction or distance.
- In some cases, these signs can be used together with some information in the same board.
- These signals are classified in **11 groups**:
 - **1:** Existence of Tourist Destinations.
 - **2:** Existence of Recreational and Cultural Interest Area for Water Recreation.
 - **3:** Existence of Recreational and Cultural Interest Area for Land Recreation.
 - **4:** Existence of Recreational and Cultural Interest Area for Services.
 - **5:** Existence of Emergency Medical Services and General Services.
 - **6:** Existence of Specific Service Signs.
 - **7:** Existence of School and Education Area.
 - **8:** Existence of Recreational and Cultural Interest Area for Accommodations.
 - **9:** General Information and Miscellaneous Places.
 - **10:** Existence of Recreational and Cultural Interest Area for General Applications
 - **11:** Used to provide information of General Services with and without numbering exit.

Group 1



Group 2



Group 3



Group 4



Group 5



Group 6



Group 7



Group 8



Group 9



Group 10



Group 11



SERVICE AND RECREATION SIGNS

TECHNICAL SPECIFICATIONS

Board	16-gauge galvanized sheet in square shape, according to the SCT (Secretary of Communications and Transport) specifications; surface free from dust with necessary elements for its fastening and dimensions according to the project needs.
Background	Engineer grade, high intensity or diamond grade reflective film in blue color; adhered by mechanical resources from 41°F to 77°F without air bubbles. The back of the board is painted in matt grey color.
Sign	Diamond grade, high intensity, engineer grade reflective film or screen printing ink in white color for symbols, letters, emblems and fillets, except for medical service sign, which has a cross in red vinyl or red screen printing ink that is adhered to reflective sheeting by mechanical resources from 41°F to 77°F temperature, without air bubbles.
Post	2" x 2" x 1/4" galvanized angle iron or galvanized 16 gauge 2" x 2" RHS (Rectangular Hollow Sections), with the necessary length to reach the required length, complying with the established standards on the Manual of Signaling and Traffic Control Devices for Streets and Highways of the SCT.
Screws	For 3/4" x 3/8" diameter angle post you need nut, flat washer and galvanized lockwasher. For RHS post with 1 1/2" x 3/8" diameter, you need nut, flat washer and galvanized lockwasher.

SERVICE AND RECREATION SIGNS

MEASUREMENTS

Dimensions and other measures are nominal and may vary by +/- 2 %.

Speed	Size of Preventive Sign	Captions and pictograms	Additional Board (in)
	11.8 x 11.8	1	11.8 x 3.9
		2	11.8 x 5.9
		3	11.8 x 7.8 in
<_ 0,30	17.7 x 17.7	1	17.7 x 5.9
		2	17.7 x 88.5
		3	17.7 x 11.8
<_ 40	23.6 x 23.6	1	23.6 x 7.8
		2	23.6 x 11.8
		3	23.6 x 15.7
<_ 60	29.5 x 29.5	1	29.5 x 9.8
		2	29.5 x 147.6
		3	29.5 x 19.6
<_ 90	35.4 x 35.4	1	35.4 x 11.8
		2	35.4 x 17.7
		3	35.4 x 23.6
>90	47.2 x 47.2	1	47.2 x 15.7
		2	47.2 x 23.6
		3	47.2 x 31.4



In urban and interurban roads, the lower part of the sign board is 8.2 ft above the level of the sidewalk or shoulder.

SERVICE AND RECREATION SIGNS

Global Forte Sign Version

FEATURES

- Exclusive board with exceptional measurements that fusion sign with additional board.
- These signs are boards fastened to posts.
- Lightweight body manufactured in black polyethylene, designed in one piece with one face.
- Inclemency resistance and temperature changes.
- UV protection.
- Anti-humidity, 100 % recyclable.
- Long life span, without rust.
- Vandal-proof due is made of plastic, it doesn't has resale value, neither work for other usages, avoiding thefts.
- Stackable, reducing transport and storage costs.
- 2" x 2" plastic post with inner reinforcing, option to choose a 3" diameter round post.
- Subjected to a 176°F test.
- Easy installation.
- **Sign:** reflective background in blue color, texts and fillet in white opaque vinyl.

Note: can be **CUSTOMIZED** with institution logo, in digital printing if desired.

MEASUREMENTS

Dimensions and other measures are nominal and may vary by + / - 2 %.

General Measurements

- Length: 25.1 in
- Width: 2.4 in
- Height: 31.4 in

Sign Dimensions:

- Length: 23.6 in
- Height: 29.9 in

Reflective Tape:

- Prismatic



Height

In urban and interurban roads, the lower part of the sign board is 8.2 ft above the level of the sidewalk or shoulder.

