

GLOBAL FORTE SIGN 71

Code: SE-BA-7171



Comply with NOM-034-SCT2/SEDATU-2022

FEATURES

- Signage boards designed according with 034 SCT2 standard to guarantee visibility and compliance with traffic regulations.
- Integrates latest generation LEDs, maximizing visibility.
- Set on Posteflex® that guarantees resistance to adverse climate conditions, includes grips of black polyethylene and screws for safe fastening.
- Optimal size for an easy recognition at distance of the signs.
- In addition, board can turn 45° and be a warning sign.
- 4 extra LEDs, one per end to increase visibility.
- Type of signs: warning: it warns about possible risks. Restrictive: indicate prohibitions or traffic limitations. Temporary traffic control: inform about works on road. Recreation: sign points of interest and services: Service: indicate available services in the zone. Safety: for emergency situations.
- **IP68 waterproof electronic system.**

TECHNICAL FEATURES

- Manufactured in black polymer with one side.
- Posteflex® in yellow or grey color.
- Resistance to inclemency and temperature changes with UV protection.
- Anti-humidity and recyclable; long life span due it doesn't rust.
- Vandal-proof, due is a polymer has zero resale value, neither work for other usages, avoiding thefts.
- Stackable, reducing transport and storage costs.
- Easy installation; Posteflex® with tubular reinforcement on its interior or steel RHS.

SOLAR SYSTEM

- Solar power supply panel on top part.
- LEDs with optics with mirror, causing light expands much better in all the sign.
- 12V batteries.
- JVM power supply electronic circuit that synchronizes flashing of signs at the same time.
- It charges during 5 hours of sun, it lasts 12 hours ON in flashing mode.



Ultrabright LEDs



Solar cell at top part

GLOBAL FORTE SIGN 71

Code: SE-BA-7171

MEASURES

Dimensions and other measures are nominal and may vary by + - 2 %.




- General**
- Length: 29.1 in
 - Width: 2.7 in
 - Height: 29.1 in

- Vinyl**
- Length: 27.9 in
 - Height: 27.9 in

- Diamond**
- Length: 38.9 in
 - Height: 38.9 in

- Reflective Sheeting**
- According to design
 - Width: 1.9 x 1.9 in
 - Length: 13.1 ft
 - Thickness: 0.19 in

- Posteflex®**
- Width: 1.9 x 1.9 in
 - Length: 9.8 ft
 - Thickness: 0.11 in



POSTEFLEX®

Height
In urban and rural roads, the lower part of the signs stays at 8.2 ft above sidewalk level.

Embed
Leave 19.6 in to embed



GLOBAL FORTE SIGN 71

Code: SE-BA-7171

MODES

LABEL

Restrictive signs: Prismatic reflective background in white color, texts and fillet in opaque black vinyl, ring in red color.

Warning signs: Prismatic reflective background in yellow color, texts and fillet in opaque black vinyl.

Recreation signs: Prismatic reflective background in blue or brown color, texts and fillet in opaque white vinyl.

Service signs: Prismatic reflective background in blue color, texts and fillet in opaque white vinyl.

Temporary traffic control signs: Orange reflective background, texts and fillet in opaque black vinyl.

Guaranteed vinyl adherence.

Note: It can be customized with institution logo or digital print.